<u>Listing of Claims</u>. This Listing of Claims replaces all prior versions and listings of Claims in the application.

1	1.	(Currently An	nenaea)	A gun rack for holding a firearm including a
2	stock, a trig	ger guard and a	a barrel, the	stock including a butt portion, the gun rack
3	comprising:			
4	a sto	ock support asse	embly includ	ding a butt support member , the butt portion of
5	the firearm positionable in and supportable by the butt support member for			
6	supporting and positioning the butt of the firearm;			
7	at least one side stock support member, connected to and extending from the			
8	butt support member, the side stock support member including an a lock accepting			
9	aperture located near a distal end of formed through the side stock support member			
10	the aperture adapted to permit insertion of a pin portion of a lock through the			
11	aperture;			
12	a fire	st mounting brad	cket, the sto	ock support member pivotally mounted to the
13	first mounting bracket and pivotable about an axis of rotation;			
14	a ba	rrel support ass	embly inclu	ding a barrel clip for grasping placement about
15	an outer pe	erimeter of a bar	rel of the fir	rearm; <u>and</u>
16	a se	cond mounting	bracket, the	barrel clip pivotally mounted to the second
17	mounting bracket and pivotable about the axis of rotation; and			
18	the side stock support member including the aperture and the lock pivotable			
19	with the sto	ock support men	nber.	
1	2.	(Cancelled)	The gun ra	ack of Claim 1 wherein the stock support

3. (Cancelled) The gun rack of Claim 2 wherein the side stock support member further comprises an aperture located near a distal end of the side stock

assembly further comprises at least one side stock support member connected to

and extending from the butt support member.

2

3

1

3	support me	mber, a lock se	curable thro	ough the aperture and a trigger guard of the	
4	firearm for securing the firearm to the stock support assembly.				
1	4.	(Currently Ar	nended)	The gun rack of Claim 2 1 wherein the lock	
2	accepting a	perture further	comprises a	an oblon <u>g lock accepting</u> aperture-l ocated near	
3	a distal end	l of the side sto	ck support r	nember, the pin portion of the lock securable	
4	through the	aperture and t	he trigger gı	uard of the firearm for securing the firearm to	
5	the stock support assembly.				
1	5.	(Cancelled)	The gun ra	ack of Claim 1 further comprising:	

- 5. (Cancelled) The gun rack of Claim 1 further comprising:
 a first mounting bracket, the stock support member pivotally mounted to the
 first mounting bracket and pivotable about an axis of rotation; and
 a second mounting bracket, the barrel clip pivotally mounted to the second
 mounting bracket and pivotable about the axis of rotation.
- 1 6. (Original) The gun rack of Claim 1 wherein the barrel support 2 assembly further comprises a resilient barrel clip for grasping placement about a 3 portion of a circumference of a gun barrel.
 - 7. (Previously Presented) The gun rack of Claim 1 wherein the barrel support assembly further comprises a second side stock support member connected to and extending from the butt support member, the first side stock support member opposing the second side stock support member, the first side stock support member including a substantially parallel orientation relative to the second side stock support member.
 - 8. (Currently Amended) The gun rack of Claim 7 further comprising:

1

2

3

4

5

6

2	the second side stock support member including a second lock accepting				
3	aperture formed through the second side stock support member-adapted to permit				
4	insertion of the pin portion of the lock through the second aperture.				
1	(Cancelled) The gun rack of Claim 7 further comprising:				
2	the first side stock support member including a first oblong aperture;				
3	the second side stock support member including a second oblong aperture;				
4	and				
5	a lock securable through the first oblong aperture, the second oblong aperture				
6	and a trigger guard of the firearm for securing the firearm to the stock support				
7	assembly.				
1	10. (Cancelled) The gun rack of Claim 7 further comprising:				
2	the stock support assembly including a first mounting bracket, the stock				
3	support member pivotally mounted to the first mounting bracket and pivotable about				
4	an axis of rotation; and				
5	the barrel support assembly including a second mounting bracket, the barrel				
6	clip pivotally mounted to the second mounting bracket and pivotable about the axis				
7	of rotation.				
1	11. (Currently Amended) A gun rack for holding a firearm including a				
2	stock, a trigger guard and a barrel, the stock including a butt portion, the gun rack				
3	comprising:				
4	a stock support assembly including a butt support member, the stock support				
5	assembly including a first side stock support member and a second side stock				
6	support member, the first side stock support member and a second side stock				
7	support member connected to and extending from the butt support member, the first				
8	side stock support member including a first lock accepting aperture formed through				
9	the first stock support member and the second side stock support member including				

10	a second lock accepting aperture formed through the second side stock support
11	member adapted to permit insertion of the pin portion of the lock through the second
12	aperture, the butt portion of the firearm positionable between the first side stock
13	support member and the second side stock support member supported by the butt
14	support member;
15	a barrel support assembly including a barrel clip for placement about an outer
16	perimeter of a barrel of the firearm;
17	a first mounting bracket, the stock support member pivotally mounted to the
18	first mounting bracket and pivotable about an axis of rotation;
19	a second mounting bracket, the barrel clip pivotally mounted to the second
20	mounting bracket and pivotable about the axis of rotation;
21	the first lock accepting aperture aligned with the second lock accepting
22	aperture for permitting insertion of a lock through the first lock accepting aperture
23	and the second lock accepting aperture lock securable through the first aperture, the
24	second aperture and the trigger guard of the firearm for securing the firearm to the
25	stock support assembly; and
26	the first side stock support member including the first aperture, the second
27	side stock support member including the second aperture and the \underline{a} lock pivotable
28	with the first mounting bracket and the stock support member.

- 12. (Cancelled) The gun rack of Claim 11 wherein the side stock support member further comprises an aperture located near a distal end of the side stock support member, a lock securable through the aperture and a trigger guard of the firearm for securing the firearm to the stock support assembly.
- 13. (Cancelled) The gun rack of Claim 11 wherein the side stock support member further comprises an oblong aperture located near a distal end of the side stock support member, a lock securable through the aperture and a trigger guard of the firearm for securing the firearm to the stock support assembly.

1

2

3

4

1

2

3

1	14. (Original) The gun rack of Claim 11 wherein the barrel support					
2	assembly further comprises a resilient barrel clip for placement about a portion of a					
3	circumference of a gun barrel.					
1	15. (Cancelled) The gun rack of Claim 11 wherein the barrel support					
2	assembly further comprises a second side stock support member connected to and					
3	extending from the butt support member, the first side stock support member					
4	opposing the second side stock support member, the first side stock support					
5	member including a substantially parallel orientation relative to the second side stock					
6	support member.					
1	16. (Cancelled) The gun rack of Claim 15 further comprising:					
2	the first side stock support member including a first aperture;					
3	the second side stock support member including a second aperture; and					
4	a lock securable through the first aperture, the second aperture and a trigger					
5	guard of the firearm for securing the firearm to the stock support assembly.					
1	17. (Cancelled) The gun rack of Claim 15 further comprising:					
2	the first side stock support member including a first oblong aperture;					
3	the second side stock support member including a second oblong aperture;					
4	and					
5	a lock securable through the first oblong aperture, the second oblong aperture					
6	and a trigger guard of the firearm for securing the firearm to the stock support					
7	assembly.					
1	18. (Cancelled) The gun rack of Claim 15 further comprising:					
2	the stock support assembly including a first mounting bracket, the stock					
3	support member pivotally mounted to the first mounting bracket and pivotable about					
4	an axis of rotation; and					

5	the barrel support assembly including a second mounting bracket, the barrel			
6	clip pivotally mounted to the second mounting bracket and pivotable about the axis			
7	of rotation.			
1	19. (Cancelled) A gun rack for supporting a firearm including a trigger			
2	guard and locking the firearm to the gun rack with a lock, the gun rack comprising:			
3	a stock support assembly including a butt support member, the stock support			
4	assembly including at least one side stock support member connected to and			
5	extending from the butt support member, the butt portion of the firearm positionable			
6	in and supportable by the butt support member, the at least one side stock support			
7	member including a first aperture adapted to receive the lock through the aperture			
8	and the trigger guard of the firearm for securing the firearm to the stock support			
9	assembly;			
10	a barrel support assembly including a resilient barrel clip for grasping			
11	placement about an outer perimeter of a firearm gun barrel;			
12	a first mounting bracket, the stock support member pivotally mounted to the			
13	first mounting bracket and pivotable about an axis of rotation; and			
14	a second mounting bracket, the barrel clip pivotally mounted to the second			
15	mounting bracket and pivotable about the axis of rotation.			

20. (Cancelled) The gun rack of Claim 19 further comprising:
a second side stock support member connected to and extending from the
butt support member, the second side stock support member including a second
aperture adapted to receive the lock through the aperture; and
a lock securable through the first aperture, the second aperture and the

trigger guard of the firearm for securing the firearm to the stock support assembly.

1

2

3

4

5